

Technical Data Sheet

Page 1 of 1

Properties:	AKEMI® Mild Stone Soap is a special product made of natural agents, non-ionic surfactants, auxiliary materials and odoriferous substances and is free from phosphates, bases, waxes and polymers; the surfactants contained are biodegradable in correspondence with the legal regulations for surfactants.
Application Area:	AKEMI® Mild Stone Soap is suited for the daily care of smooth and rough, absorbent and non-absorbent, untreated, impregnated or sealed natural and artificial stone floors, s.a. marble, granite, slate, terrazzo, brick, clinker and cotto slabs as well as cement tiles. Because the product does not contain any waxes, polymers or gloss agents, it does not result in a film or residue on the surface of the stone. The stone retains its natural vapour permeability. If used regularly, the effectiveness of AKEMI® Stone Impregnation and AKEMI® sealers will be enhanced. If used regularly, the structure and colour of the stone will be shown at their best ad-vantage. AKEMI® Mild Stone Soap is also suited for surfaces which were treated with AKEMI® Stone Polish (wax or silicone based), Stone Sealer (mat or satin finish) and Polishing Fluid No. 10-2012. AKEMI® Stone Cleaner is recommendable for more intensive cleaning purposes.
Instructions for Use:	<ol style="list-style-type: none">1. Add 2-4 tablespoons (20-40 ml) of AKEMI® Mild Stone Soap in 10 liter of water.2. Wipe the floor. No additional cleaning necessary.
Special Notes:	- For adequate waste disposal container must be completely emptied.
Technical Data:	Colour: golden yellow Density: approx. 1.03 g/cm ³ pH value: approx. 10 (if concentrated)
Storage:	2 years if stored in cool place free from frost in its tightly closed original container.
Health & Safety:	Read Material Safety Data Sheet before handling or using this product.
Important Notice:	The above information is based on the latest stage of development and application technology. Due to a multiplicity of different influencing factors, this information – as well as other oral or written technical advises – must be considered as non-binding hints. The user is obliged in each particular case to conduct performance tests, including but not limited to trails of the product, in an inconspicuous area or fabrication of a sample piece.

TDS 08.16